Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Statistical reports of States and cities of the United States—Yearly and monthly.

CONNECTICUT—*Bridgeport.*—Month of August, 1902. Estimated population, 72,000. Total number of deaths, 117, including enteric fever, 3, and 15 from tuberculosis.

IOWA—*Davenport.*—Month of August, 1902. Estimated population, 40,000. Total number of deaths, 67, including enteric fever, 3, and 7 from tuberculosis.

MAINE—*Biddeford.*—Month of August, 1902. Estimated population, 17,000. Total number of deaths, 29, including enteric fever, 2, and 3 from phthisis pulmonalis.

MARYLAND—*Baltimore.*—Month of August, 1902. Estimated population, 525,000—white, 445,000; colored, 80,000. Total number of deaths, 915—white, 719; colored, 196—including diphtheria, 10; enteric fever, 38; measles, 3; scarlet fever, 3; whooping cough, 14, and 95 from tuberculosis.

MASSACHUSETTS—*Holyoke.*—Month of May, 1902. Census population, 45,712. Total number of deaths, 58, including diphtheria, 4, and 7 from tuberculosis.

Month of June, 1902. Total number of deaths, 53, including diphtheria, 7; enteric fever, 1, and 2 from tuberculosis.

Month of July, 1902. Total number of deaths, 83, including diphtheria, 1; measles, 1, and 6 from tuberculosis.

Month of August, 1902. Total number of deaths, 66, including diphtheria, 1; enteric fever, 1, and 6 from tuberculosis.

Worcester.—Month of August, 1902. Estimated population, 121,064. Total number of deaths, 158, including whooping cough, 2, and 23 from phthisis pulmonalis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended September 13, 1902, from 80 observers, indicate that influenza, enteric fever, inflammation of kidney, pleuritis, inflammation of bowels, pneumonia, remittent fever, erysipelas, and measles were more prevalent and phthisis pulmonalis, whooping cough, scarlet fever, and smallpox were less prevalent than in the preceding week. Meningitis was reported present at 4, whooping cough at 13, measles at 23, diphtheria at 23, smallpox at 26, scarlet fever at 38, enteric fever at 75, and phthisis pulmonalis at 222 places.

MINNESOTA—*Minneapolis.*—Month of August, 1902. Census population, 202,718. Total number of deaths, 188, including diphtheria, 7; enteric fever, 8; scarlet fever, 1; whooping cough, 1, and 21 from tuberculosis.

MISSOURI—*St. Louis.*—Month of August, 1902. Estimated population, 621,000—white, 582,000; colored, 39,000. Total number of deaths, 819—white, 725; colored, 94—including diphtheria, 9; enteric fever, 26; scarlet fever, 7; whooping cough, 14, and 142 from tuberculosis.

NEW HAMPSHIRE—*Franklin.*—Month of August, 1902. Estimated

population, 5,843. Total number of deaths, 6. No deaths from contagious diseases.

NEW JERSEY—*Passaic.*—Two weeks ended September 13, 1902. Census population, 27,777. Total number of deaths, 33, including 1 from scarlet fever.

OHIO—*Columbus.*—Month of May, 1902. Estimated population, 150,000. Totel number of deaths, 113, including measles, 5; scarlet fever, 1; whooping cough, 1, and 19 from tuberculosis.

WISCONSIN—*Milwaukee.*—Month of August, 1902. Estimated population, 300,000. Total number of deaths, 384, including diphtheria, 3; enteric fever, 8; scarlet fever, 1; whooping cough, 10, and 41 from tuberculosis.

UTAH—*Salt Lake City.*—Month of August, 1902. Census population, 53,531. Total number of deaths, 77, including diphtheria, 2; enteric fever, 5; scarlet fever, 3, and 1 from phthisis pulmonalis.

WASHINGTON—*Seattle.*—Month of August, 1902. Estimated population, 115,000. Total number of deaths, 89, including diphtheria, 1; enteric fever, 5, and 9 from tuberculosis.

Report of inspection of immigrants at Baltimore for the week ended September 20, 1902.

OFFICE OF U. S. COMMISSIONER OF IMMIGRATION,
Port of Baltimore, September 20, 1902.

Number of alien immigrants who arrived at this port during the week ended September 20, 1902; also names of vessels and ports from which they came. September 17, steamship *Uller*, from Port Antonio, with 2 immigrants. Steamship *Willehad*, from Bremen, with 710 immigrants. Total, 712.

LOUIS T. WEIS,
Commissioner.

Report of immigration at Philadelphia for the week ended September 20, 1902.

OFFICE OF U. S. COMMISSIONER OF IMMIGRATION,
Port of Philadelphia, September 20, 1902.

Number of alien immigrants who arrived at this port during the week ended September 20, 1902; also names of vessels and ports from which they came.

Date.	Vessel.	Where from.	No. of immigrants.
Sept. 14	Steamship Haverford	Liverpool and Queenstown	446
Do	Steamship Corean	Glasgow	4
Sept. 16	Steamship Lackawanna	Liverpool	3
Do	Steamship Nederland	Antwerp	308
Sept. 17	Steamship Planet Mars	Avonmouth	1
Sept. 19	Steamship Montauk Point	London	4
	Total		766

JNO. J. S. RODGERS,
Commissioner.